

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
1	2134	((717/136-137,128,140,147,150,153,155,158-159PAT70,174) or (709/331) or (712/238)).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:48
4	2	((717/136-137,128,140,147,150,153,155,158-159PAT70,174) or (709/331) or (712/238)).CCLS.) and (stub near import)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:49
-	1	(@ad<=19991008 and @rlad<=19991008) and (branch adj call\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:45
-	225	(@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 13:17
-	9	((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.) and (trampoline\$1 or ((far or "near") adj2 call\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 13:17
-	225	(@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:58
-	9	((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.) and (trampoline\$1 or ((far or "near") adj2 call\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 14:42
-	2	("5740447").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 13:45
-	1	5740447.URPN.	USPAT	2003/08/30 13:23
-	2	("4567574" "4763255").PN.	USPAT	2003/08/30 13:39
-	7	((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.) and(("far" or "near") near3 (branch\$3 adj2(call\$1 or instruction\$1 or invoca\$4 or predict\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:50
-	10	(("far" or "near") near3 (branch\$3 adj2(call\$1 or instruction\$1 or invoca\$4))) and (code near4 (insert\$4 or instrument\$5 or trampoline\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:53
-	174	(((short or "near") adj2 branch\$3) near5 ((long or far) adj2 branch\$3)) and link\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:55
-	2	((((short or "near") adj2 branch\$3) near5 ((long or far) adj2 branch\$3)) and link\$4) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:47
-	1	(epilog\$2 adj code) and ((long or short) near3 calls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:49

-	3	5835958.URPN.	USPAT	2003/08/30 15:50
-	12	("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.	USPAT	2003/08/30 15:51
-	0	("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.) and ((trampoline or prolog) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:56
-	1	("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.) and ((trampoline or prolog\$2) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:56
-	42	linker and ((trampoline or prolog\$2) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:52
-	1	(linker and ((trampoline or prolog\$2) adj3 (code or instructions))) and ((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:57
-	24	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.	USPAT	2003/08/30 16:06
-	1	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.) and ((prolog\$2 or trampoline\$1) and linker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:07
-	10	((distant or local or proximal or long or short) adj3 (branch or call\$1)) and ((prolog\$2 or trampoline\$1 or epilg\$2) near3 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:09
-	24	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.	USPAT	2003/08/30 16:50
-	1	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.) and ((trampoline or prolog\$2) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:53

-	8	((reduc\$4 or transform\$4 or convert\$4 or translat\$4 or substitut\$4) adj4 ((external or distant or far or long) adj2 (call\$1 or branch\$2))) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:36
-	196	(((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:57
-	59	((ad<=19991008 and @rlad<=19991008) and (((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:10
-	137	(((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)) not ((@ad<=19991008 and @rlad<=19991008) and (((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:59
-	9	(((((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)) not ((@ad<=19991008 and @rlad<=19991008) and (((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:05
-	1	(locali\$5 or internali\$5) near4 ((external or long or distant) adj2 (call\$1 or invocation\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:06
-	165	(trampoline or prolog\$2) adj2 (code or instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:34
-	61	((trampoline or prolog\$2) adj2 (code or instruction\$1)) not ((@ad<=19991008 and @rlad<=19991008) and ((trampoline or prolog\$2) adj2 (code or instruction\$1)) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:19
-	7	(((trampoline or prolog\$2) adj2 (code or instruction\$1)) not ((@ad<=19991008 and @rlad<=19991008) and ((trampoline or prolog\$2) adj2 (code or instruction\$1)) and 717/\$) and ((far or distant or long or external) adj2 (call\$1 or branch\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:30
-	18	"5307504" "5454117" "5515518" "5754878" "5781792" "5784640" "5790824" "5794068" "5832205" "5838962" "5838978" "5903760" "5905855" "5958047" "5958061" "6005551" "6031992" "6032247").PN.	USPAT	2003/08/30 17:26

-	0	(("5307504" "5454117" "5515518" "5754878" "5781792" "5784640" "5790824" "5794068" "5832205" "5838962" "5838978" "5903760" "5905855" "5958047" "5958061" "6005551" "6031992" "6032247").PN.) and ((far or distant or long or external) adj2 (call\$1 or branch\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:30
-	151	717/\$ and ((far or distant or long or external) adj2 (call\$1 or branch\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:30
-	8	((trampoline or prolog\$2) adj2 (code or instruction\$1)) and (717/\$ and ((far or distant or long or external) adj2 (call\$1 or branch\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:30
-	18	("5307504" "5454117" "5515518" "5754878" "5781792" "5784640" "5790824" "5794068" "5832205" "5838962" "5838978" "5903760" "5905855" "5958047" "5958061" "6005551" "6031992" "6032247").PN.	USPAT	2003/08/30 17:33
-	0	(("5307504" "5454117" "5515518" "5754878" "5781792" "5784640" "5790824" "5794068" "5832205" "5838962" "5838978" "5903760" "5905855" "5958047" "5958061" "6005551" "6031992" "6032247").PN.) and ((trampoline or prolog\$2) adj2 (code or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:16
-	24	(@ad<=19991008 and @rlad<=19991008) and ((trampoline or prolog\$2) adj2 (code or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:00
-	323	((reduc\$4 or transform\$4 or convert\$4 or translat\$4 or substitut\$4) adj4 ((external or distant or far or long) adj2 (call\$1 or branch\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:36
-	6	((((reduc\$4 or transform\$4 or convert\$4 or translat\$4 or substitut\$4) adj4 ((external or distant or far or long) adj2 (call\$1 or branch\$2)))) and (717/\$ and ((far or distant or long or external) adj2 (call\$1 or branch\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:57
-	3	5797014.URPN.	USPAT	2003/08/30 17:37
-	3	("5369766" "5446899" "5475840").PN.	USPAT	2003/08/30 17:39
-	2	((((reduc\$4 or transform\$4 or convert\$4 or translat\$4 or substitut\$4) adj4 ((external or distant or far or long) adj2 (call\$1 or branch\$2)))) and ((trampoline or prolog\$2) adj2 (code or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 17:46
-	1	(@ad<=19991008 and @rlad<=19991008) and ((replac\$4 or substitut\$4 or convert\$4 or chang\$3) near4 (((external or long or far) and (internal or short or "near")) near2 (method or call\$1 or invoca\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:00
-	13	(replac\$4 or substitut\$4 or convert\$4 or chang\$3) near4 (((external or long or far) and (internal or short or "near")) near2 (method or call\$1 or invoca\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:02

-	499	(replac\$4 or substitut\$4 or convert\$4 or chang\$3) near4 ((external or long or far) near2 (method or call\$1 or invoca\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:03
-	6	((replac\$4 or substitut\$4 or convert\$4 or chang\$3) near4 ((external or long or far) near2 (method or call\$1 or invoca\$4))) and ((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.) or (((short or "near") adj2 branch\$3) near5 ((long or far) adj2 branch\$3)) and link\$4) or (linker and (trampoline or prolog\$2) adj3 (code or instructions))) or (((external or distant or far or long) adj2 (call\$1 or branch\$2)) near8 ((local or short or "near" or internal) adj3 (call\$1 or branch\$2))) and (optimi\$4 or compiler)) or ((trampoline or prolog\$2) adj2 (code or instruction\$1)) or (((reduc\$4 or transform\$4 or convert\$4 or translat\$4 or substitut\$4) adj4 ((external or distant or far or long) adj2 (call\$1 or branch\$2))))) and (compil\$4 or linker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:04
-	9	5032981.URPN.	USPAT	2003/08/30 18:07
-	6	((resolv\$4 or translat\$4 or convert\$4 or replac\$4) adj3 ((long or indirect) adj2 (call\$1 or branch\$1))) near6 ((short or "near" or direct) adj2 (call\$1 or branch\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 18:56
-	1025	(717/162-163,151-159).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 08:47
-	1326	((709/331) or (711/170) or (712/238)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 08:47
-	0	(((717/162-163,151-159).CCLS.) or ((709/331) or (711/170) or (712/238)).CCLS.)) and (branch adj instruction\$1).ab. and ((far and "near") adj2 call\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 08:49
-	6	((import or link\$4) adj4 (trampoline or stub)) and ((far adj3 (branch or call)) or (large near3 displacement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:47
-	14	((generat\$4 near6 (trampoline or stub)) and (branch near6 call))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:28
-	1	(((generat\$4 near6 (trampoline or stub)) and (branch near6 call))) and (@ad<=19991008 and @rlad<=19991008)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:23
-	2569	(add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:52

-	314	((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 and @rlad<=19991008)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:27
-	17	((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 and @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:28
-	6	((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 and @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address))) not Hogan.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 11:56
-	18	(US-6546553-\$ or US-5740447-\$ or US-5835958-\$ or US-5490256-\$ or US-5579520-\$ or US-6377261-\$ or US-5729748-\$ or US-6397379-\$ or US-6226787-\$ or US-5032981-\$ or US-6460178-\$ or US-5797014-\$ or US-5212794-\$ or US-5475840-\$ or US-5784605-\$).did. or (US-20020104075-\$ or US-20020066081-\$).did. or (US-5857105-\$).did.	USPAT; US-PGPUB; DERWENT	2004/07/16 12:06
-	4	((stub near3 import) or Mattson.in.) and (unresolved or (far adj2 (call or branch)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:29
-	2	((stub near3 import) or Mattson.in.) and (unresolved or (far adj2 (call or branch))) and (@ad<=19991008 or @rlad<=19991008)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:10
-	7	((generat\$4 near6 (trampoline or stub)) and (branch near6 call))) and (@ad<=19991008 or @rlad<=19991008)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:23
-	1742	((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:27
-	46	((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:28
-	25	((generat\$4 or creat\$4) near6 (trampoline or stub)) and (((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:29
-	1	((generat\$4 or creat\$4) near6 (trampoline or stub)) and (((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address))) and (unresolved or (far adj2 (call or branch))) and link\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:30

-	6	(((generat\$4 or creat\$4) near6 (trampoline or stub)) and (((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address)))) not (((generat\$4 or creat\$4) near6 (trampoline or stub)) and (((add\$4 or creat\$4 or generat\$4) near6 (stub or "glue code" or prolog or epilog or trampoline)) and (@ad<=19991008 or @rlad<=19991008)) and (("far" or "near" or distant) near3 (branch\$3 or call or address)))) and (unresolved or (far adj2 (call or branch))) and link\$4) and (717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 12:31
---	---	--	---	---------------------